

NCBI Sequence Viewer

Exhibit 1

NCBI Nucleotide

PubMed Nucleotide Protein Genome Structure PopSet Taxonomy OMIM Bio

Search  Nucleotide  for  Go Clear

Limits Preview/Index History Clipboard Details

Display  default  Save Text Add to Clipboard

1: NM\_001400. Homo sapiens endo...  
[gi:13027635]

Related Sequences, OMIM, Protein, PubMed, Taxonomy,  
UniSTS, LinkOut

LOCUS NM\_001400 2753 bp mRNA linear PRI 16-FEB-2001  
DEFINITION Homo sapiens endothelial differentiation, sphingolipid  
G protein-coupled receptor, 1 (EDG1), mRNA.  
ACCESSION NM\_001400  
VERSION NM\_001400.2 GI:13027635  
KEYWORDS  
SOURCE human.  
ORGANISM Homo sapiens  
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;  
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.  
REFERENCE 1 (bases 1 to 2753)  
AUTHORS H.a.T. and Maciag,T.  
TITLE An abundant transcript induced in differentiating human endothelial  
cells encodes a polypeptide with structural similarities to  
G protein-coupled receptors  
J Biol. Chem. 265 (16), 9308-9313 (1990)  
JOURNAL MEDLINE 90264425  
REFERENCE 2 (bases 1 to 2753)  
AUTHORS A.,S., Bleu,T., Huang,W., Hallmark,O.G., Coughlin,S.R. and  
Goetzl,E.J.  
TITLE Identification of cDNAs encoding two G protein-coupled receptors  
for lysosphingolipids  
FEBS Lett. 417 (3), 279-282 (1997)  
JOURNAL MEDLINE 98072391  
REFERENCE 3 (bases 1 to 2753)  
AUTHORS Lee,M.J., Van Brocklyn,J.R., Thangada,S., Liu,C.H., Hand,A.R.,  
Manzeleev,R., Spiegel,S. and Hla,T.  
TITLE Sphingosine-1-phosphate as a ligand for the G protein-coupled  
receptor EDG-1  
Science 279 (5356), 1552-1555 (1998)  
JOURNAL MEDLINE 98155258  
COMMENT REVIEWED REFSEQ: This record has been curated by NCBI staff. The  
reference sequence was derived from AF233365.1, M31210.1.  
On Feb 21, 2001 this sequence version replaced gi:4503454.  
Summary: The protein encoded by this gene is structurally similar  
to G protein-coupled receptors and is highly expressed in  
endothelial cells. It binds the ligand sphingosine-1-phosphate  
with high affinity and high specificity, and suggested to be  
involved in the processes that regulate the differentiation of  
endothelial cells. Activation of this receptor induces cell-cell  
adhesion.  
COMPLETENESS: complete on the 3' end.  
FEATURES  
source Location/Qualifiers  
1..2753  
/organism="Homo sapiens"  
/db\_xref="taxon:9606"

## NCBI Sequence Viewer

gene /chromosome="1"  
 /map="1p21"  
 1..2753  
 /gene="EDG1"  
 /note="ECGF1; CHEDG1"  
 /db\_xref="LocusID:1901"  
 /db\_xref="MIM:601974"  
  
CDS 244..1392  
 /gene="EDG1"  
 /note="edg-1; sphingosine 1-phosphate receptor EDG1"  
 /codon\_start=1  
 /db\_xref="LocusID:1901"  
 /db\_xref="MIM:601974"  
 /product="endothelial differentiation, sphingolipid  
 G-protein-coupled receptor, 1"  
 /protein\_id="NP\_001391.2"  
 /db\_xref="GI:13027636"  
 /translation="MGPTSVPLVKAERSSVSDYVNYDIIVRHYNYTGKLNISADKENS  
 IKLTSVVFILICCFIILENIFVLLTIWKTCKFHRPMYYFIGNLALSDLLAGVAYTANL  
 LLSGATTYKLTPAQWFLREGSMFVALSASVFSLLAIAIERYITMLKMKLHNGSNFRL  
 FLLISACWVISLILGGLPIMGWNCISALSSCSTVLPYHKHYILFCTTVFTLLLSIV  
 ILYCRIYSLVTRSRRLTFRKNISKASRSSEKSLALLKTVIIVLSVFIACWAPLFILL  
 LLDVGCKVKTCIDILPRAEYFVLAVLNSGTNPPIIYTLTNKEMRRAFIRIMSCCKCPSG  
 DSAGKFKRPTIAGMBFERSKSDNSSHPQKDEGDNPETIMSSGNVNSSS"  
  
misc feature 427..999  
 /note="7tm\_1; Region: 7 transmembrane receptor (rhodopsin  
 family)"  
  
misc feature 937..1176  
 /note="7tm\_1; Region: 7 transmembrane receptor (rhodopsin  
 family)"  
  
variation 2313  
 /allele="C"  
 /allele="G"  
 /db\_xref="dbSNP:1056840"  
  
polyA signal 2587..2592  
polyA signal 2733..2738  
  
 BASE COUNT 668 a 707 c 619 g 759 t  
 ORIGIN  
 1 gtcjggggca gcagcaagat gcgaagcgag ccgtacagat ccggggctct ccgaacgcaa  
 61 cttggccctg cttgagcgag gctgcggttt ccgaggccct ctccagccaa ggaaaagcta  
 121 cacaiaaaagc ctggatcact cagcgaacca cccctgaagc cagtgaaggc tctctcgct  
 181 cgcgtcttag cgttcgtctg gactagcgcc accccggctt cctggggaca cagggttggc  
 241 accatggggc ccaccagcgt cccgctgggc aaggcccacc gcagctcggt ctctgactac  
 301 gtcactatg atatcatcgt ccggcattac aactacacgg gaaagctgaa tatcagcgcg  
 361 gacaggaga acagcattaa actgaacctg gtggtgttca ttctcatctg ctgctttatc  
 421 atcctggaga acatctttgt cttgctgacc atttggaaaa ccaagaaatt ccaccgaccc  
 481 atgactatt ttattggcaa tctggccctc tcagacctgt tggcaggagt agcctacaca  
 541 gctaacctgc tcttgtctgg ggccaccacc tacaagctca ctcccgccca gtggtttctg  
 601 cggjaaggga gtatgtttgt ggccctgtca gcctccgtgt tcagtctcct cgccatcgcc  
 661 attjagcgct atatacacaat gctgaaaatg aaactccaca acgggagcaa taacttcgcg  
 721 ctcctctgca taatcagcgc ctgctgggtc atctccctca tctgggtgg cctgctatc  
 781 atgjcgtgga actgcatcag tgcgctgtcc agctgctcca ccgtgctgcc gctctaccac  
 841 aagactata tctctctctg caccacgggc ttcactctgc ttctgctctc catcgtcatt  
 901 ctgactgca gaatctactc cttggctcagg actcggagcc gccgctgac gttcgcgaag  
 961 aacatttcca aggccagccg cagctctgag aagtcgctgg cgctgctcaa gacogtaatt  
 1021 atcjtccctga cgtctctcat cgctgctgg gcaccgctct tcatcctgct cctgctggat  
 1081 gtgjcgtgca aggtgaagac ctgtgacatc ctcttcagag cggagtactt cctggtgtta  
 1141 gctjtgctca actccggcac caaccctatc atttacactc tgaccaacaa ggagatgcgt  
 1201 cggjccctca tccggatcat gtctctgtgc aagtgcgccg gccggagactc tgctggcaaa  
 1261 ttcaagcgac ccacatcgcg cggcatggaa ttcagccgca gcaaactcga caattcctcc

initiation  
codon

Goetzl  
primer 1  
to EDG-1

## NCBI Sequence Viewer

```
1321 caccctccaga aagacgaagg ggacaaccca gagaccatta tgtcttctgg aaacgtcaac
1381 tcttcttctt agaactggaa gctgtccacc caccggaagc gctctttact tggtcgctgg
1441 ccaccccaagt gtttggaaaa aaatctcttg gcttcgactg ctgccaggga ggagctgctg
1501 caagccagag ggaggaaggg ggagaatacg aacagcctgg tgggtgctggg tgttgggagg
1561 tagagtttagt tctgtggaac aatgcactgg gaagggtgga gatcagggtc cggcctggaa
1621 tateatttct accccctctg agctttgatt ttgcactgag ccaaagggtc agcattgtca
1681 agctcctaaa ggggttcattt ggccctctct caaagactaa tgtcccatg tgaaagcgtc
1741 tctt tgtctg gagctttgag gagatgtttt ccttcacttt agtttcaaac ccaagtgagt
1801 gtgtgcactt ctgcttcttt agggatgccc tgtacatccc acacccaccc ctcccttccc
1861 ttcctaccoc tcttcaacgt tcttttactt tatactttaa ctacctgaga gttatcagag
1921 ctgggggttgt ggaatgatcg atcatctata gcaaataggc tatgttgagt acgtaggctg
1981 tgggaagatg aagatgggtt ggaggtgtta aacaatgtcc ttcgctgagg ccaaagtttc
2041 catgtaagcg ggatccgttt tttggaattt ggttgaagtc actttgattt ctttaaaaaa
2101 catcttttca atgaaatgtg ttaccatttc atatccattg aagccgaaat ctgcataagg
2161 aagcccaact tatctaaatg atattagcca ggatccttgg tgctctagga gaaacagaca
2221 agcraaacia agtgaaaacc gaatggatta acttttgcaa accaaggagg atttcttagc
2281 aaal.gagtct aacaaatatt acatccgtct ttcccacttt tgttgatgtt tatttcagaa
2341 tcttgtgtga ttcatttcaa gcaacaacat gttgtatttt gttgtgttaa aagtactttt
2401 ctttattttt gaatgtattt gtttcaggaa gaagtcattt tatggatttt tctaaccctg
2461 gtttactttt ctagaatcca ccctcttctg cccttaagca ttactttaac tggtagggaa
2521 cgcagaact ttttaagcca gctattcatt agatagtaat tgaagatatg tataaatatt
2581 acalagaata aaaatatatt actgtctctt tagtatgggt ttcagtcaa ttaaacggag
2641 aga:gtcttg tttttttaaa aagaatagta tttaataggt ttctgacttt tgtggatcat
2701 tttcacata gctttatcaa cttttaaaca ttaataaact gattttttta aag
```

//

Revised: October 24, 2001.

Disclaimer | Write to the Help Desk  
NCBI | NLM | NIH